

Message

From: Bird, Patrick [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8376934BF605424D8E870C10744090EC-BIRD, PATRICK]
Sent: 1/20/2022 11:54:55 AM
To: Wortman, Eric [Wortman.Eric@epa.gov]
Subject: RE: Letter Concerning South Fork Offsets

Yes, that'd be a good start. Thanks, Eric.

Do you have time to reconnect today at some point? I feel like we haven't touched base since Tuesday afternoon!

Pat

From: Wortman, Eric <Wortman.Eric@epa.gov>
Sent: Thursday, January 20, 2022 6:47 AM
To: Bird, Patrick <Bird.Patrick@epa.gov>
Subject: RE: Letter Concerning South Fork Offsets

Ex. 5 Deliberative Process (DP)

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Wednesday, January 19, 2022 8:01 PM
To: Bird, Patrick <Bird.Patrick@epa.gov>
Cc: Wortman, Eric <Wortman.Eric@epa.gov>; Dain, Gregory <Dain.Greg@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>; Froikin, Sara <Froikin.Sara@epa.gov>
Subject: RE: Letter Concerning South Fork Offsets

Hi Pat,

Ex. 5 Deliberative Process (DP)

Thanks,
Suilin

From: Bird, Patrick <Bird.Patrick@epa.gov>
Sent: Wednesday, January 19, 2022 7:14 AM
To: Chan, Suilin <Chan.Suilin@epa.gov>
Cc: Wortman, Eric <Wortman.Eric@epa.gov>; Dain, Gregory <Dain.Greg@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>; Froikin, Sara <Froikin.Sara@epa.gov>
Subject: RE: Letter Concerning South Fork Offsets

Hi Suilin,

Thank you!

Ex. 5 Deliberative Process (DP)

Thanks,

Pat

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Tuesday, January 18, 2022 6:13 PM
To: Bird, Patrick <Bird.Patrick@epa.gov>
Cc: Wortman, Eric <Wortman.Eric@epa.gov>; Dain, Gregory <Dain.Greg@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>; Froikin, Sara <Froikin.Sara@epa.gov>
Subject: FW: Letter Concerning South Fork Offsets
Importance: High

Hi Pat,

I want to congratulate your team for the issuance of the South Fork OCS permit today! Good job guys!!

Now, we can all turn our attention to the controlled correspondence from Citizens for the Preservation of Wainscott (CPW) that raises issues with the ERC exemption for construction phase emissions and the substation cable that passes a residential community, among other things. Region 2 will develop the response to the substation cable and water issues:

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP) Rick is asking for an extension to the assigned deadline.

Thanks,
Suilin

From: Bird, Patrick <Bird.Patrick@epa.gov>
Sent: Thursday, January 13, 2022 7:07 AM
To: Montanez, Jessica <Montanez.Jessica@epa.gov>; Brachtel, Megan <Brachtel.Megan@epa.gov>; Doster, Brian <Doster.Brian@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>; Wortman, Eric <Wortman.Eric@epa.gov>; Dain, Gregory <Dain.Greg@epa.gov>
Subject: FW: Letter Concerning South Fork Offsets
Importance: High

Hi Jessica, Megan, and Brian,

Please see attached an incoming letter from a citizens group in Long Island concerning several issues, one of which is the CAA permit for South Fork, and specifically the change in requirements related to construction offsets. The letter was sent to the Administrator, but controlled down to Region 2 for response. See pdf page 21 of the attached for the CAA concerns.

With Brian's edits incorporated into the permit documents, we planned to route the South Fork permit for signature today, with a planned signature date by our RA on Tuesday, 1/18.

Ex. 5 Deliberative Process (DP)

Pat

From: Bird, Patrick
Sent: Thursday, January 13, 2022 7:00 AM
To: Hamjian, Lynne <Hamjian.Lynne@epa.gov>; Greene, Cynthia <Greene.Cynthia@epa.gov>

Cc: Wortman, Eric <Wortman.Eric@epa.gov>; Dain, Gregory <Dain.Greg@epa.gov>

Subject: Letter Concerning South Fork Offsets

Importance: High

Hi Lynne and Cynthia,

Suilin sent to me yesterday an incoming letter dated 1/11/2022 to the Administrator concerning several issues related to the South Fork project. The author of the letter is from a Long Island citizen's group. One of the issues they raise is the South Fork CAA permit and the offsets policy. See pdf page 21 of the attached.

I plan to make OAQPS and OGC aware of this now, as well.

We planned to route for signature today the South Fork permit.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Thanks,

Pat

From: Chan, Suilin <Chan.Suilin@epa.gov>

Sent: Wednesday, January 12, 2022 5:42 PM

To: Bird, Patrick <Bird.Patrick@epa.gov>

Cc: Ruvo, Richard <Ruvo.Richard@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>

Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Pat,

We were assigned this FOIA from a Gouri Edlich, a Chairwoman of the Citizens for the Preservation of Wainscott (CPW) to Administrator Regan. She wrote about the South Fork wind project transmission cable and EPA's proposal to not require ERC to offset construction phase emissions.

Ex. 5 Deliberative Process (DP)

By the way, what is the status of the South Fork final OCS permit?

Thanks,

Suilin

From: Cruz, Auria <Cruz.Auria@epa.gov>

Sent: Wednesday, January 12, 2022 2:56 PM

To: Ruvo, Richard <Ruvo.Richard@epa.gov>

Cc: Chan, Suilin <Chan.Suilin@epa.gov>

Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Here you go! ☺

Who should respond to this CMS?

Gracias

Auria

-----Original Message-----

From: Ruvo, Richard <Ruvo.Richard@epa.gov>
Sent: Wednesday, January 12, 2022 2:34 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria-

Please download a copy of the letter for me and Suilin. I'd like to review for my personal knowledge.
Thanks, Rick

-----Original Message-----

From: cmsadmin@epa.gov <cmsadmin@epa.gov>
Sent: Wednesday, January 12, 2022 2:08 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>
Subject: CMS New Assignment - Danla Boykin - AX-22-000-1797

Control AX-22-000-1797 has been assigned to your office on 1/12/2022 2:08:25 PM by Danla Boykin. Please go to the CMS webpage to view the details of the control.

Summary Information -

Control Number: AX-22-000-1797

Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for Construction-Related Air Emissions

From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at <https://cms.epa.gov/cms>. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or CMS.Information@epa.gov.